

VECTOR OPTICS

SCFF-48

Continental x10 1-10x28 ED FFP Rifle Scope VET-RAR



Features

- **34mm Monotube Made of 6061 T6, First Focal Plane Scope with ED Glass.**
- **German Optics System by Using LaREE Lens & VePRO FMC, 93% Light Transmission.**
- **Extra-Low Dispersion Optics, Excellent for Dawn, Dusk Even at Night Shooting.**
- **True 1x Power LPVO Scope, Crisp & High Resolution, 11 Levels Red Illumination.**
- **Constant 4 inch Eye Relief without Inside Dark Ring Around Image.**
- **Etched Glass VET-RAR Tactical-Rapid Acquisition Ring Style BDC Reticle.**
- **Adjustment System Made of 7075 T6 That Never Snag on Anything and Never Get Turned.**
- **Precise 1/10MIL Adjustment, Zero Stop and Turret Lock, 100 Clicks per Round.**
- **Take Lapua Magnum 338 Recoil and All Fields of Application for Hunting, Sporting & Competition.**

Specifications

SCFF-48



- Magnification: 1-10x
- Objective Lens Dia.: 28mm
- Ocular Lens Dia.: 46mm / 1.81in
- Ocular Lens Length: 93mm / 3.66in
- Exit Pupil: 8.5-2.8mm
- Optics Coating: Fully-multi coated diamond clear
- Field of View: 123-12.3ft @ 100yds
- Field of View: 41-4.1m @ 100m
- Eye Relief: 100mm / 4.0in
- Length: 278mm / 10.9in
- Weight: 663g / 23.4oz
- Tube Dia.: 34mm Monotube
- Click Value: 1/10 MIL
- Elevation Range: 51MIL

Specifications

SCFF-48



- Windage Range: 51MIL
- Reticle: Etched Glass VET-RAR
- Illumination: 11 gear red
- Parallax Setting: 100 yards
- Battery type: CR2032
- Length of middle turret part: 43mm / 1.69in
- Shock tested to 1000g, water proof at 1.5 meter for 30 min.
- Waterproof: IP68
- Fully nitrogen purged to eliminate any fogging of the lenses internally.
- 100 clicks per round, turret lock and zero stop feature.
- High quality 6061 T6 aircraft grade aluminum.
- Diopter compensation from fast-focus eyepiece (-3 to +2)
- Including items: a pair of 34mm Picatinny scope rings, a spare elevation turret (without zero stop feature), user manual, lens caps and cleaning cloth etc.